			TH	
	Application No.	Applicant(s)	,	
Mada - CAH	10/518,855	MELLONI ET AL.		
Notice of Allowability	Examiner	Art Unit		
·	Rhonda S. Peace	2874		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to the amendment filed 6/25/2007.				
2. The allowed claim(s) is/are <u>21-52</u> .				
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
			• .	
	•			
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal I	Patent Application		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		6. Interview Summary (PTO-413),		
3. Information Disclosure Statements (PTO/SB/08),		Paper No./Mail Date 7.		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	_	8. 🗵 Examiner's Statement of Reasons for Allowance		
of Biological Material	9.	Pl al	1	
MH.	ACCUSHUA CHELLE CONNELLY-CUSHWA PRIMARY EXAMINER	Rhonda S. Peace Examiner, Art Uni	12874	
	Olithan	•		

Art Unit: 2874

DETAILED ACTION

Specification

Applicant's arguments, see page 12, filed 6/25/2007, with respect to the objection to the abstract have been fully considered and are persuasive. The objection of the abstract has been withdrawn.

Allowable Subject Matter

Claims 21-52 are allowed.

The following is an examiner's statement of reasons for allowance: Pertaining to claims 21-52, the applicable prior at, Jin (US 5854802) fails to disclose a wavelength converter device as described by all of the independent claims 21, 35, 37, 40, and 42, specifically a device comprising an input for at least said frequency ω_s, an optical resonator comprising a non-linear material, an optical resonator resonating at the pump, signal, and converted frequencies ω_p , ω_s , and ω_q , wherein by propagating through said structure, the pump and signal radiation generate said converted radiation by non-linear interaction within each of said optical resonators. Jin discloses that non-linear interaction only takes place within the wavelength converting means 24, and that the laser medium 22 is only provided for emitting a first laser radiation and does not produce a converted frequency ω₀. Therefore, Jin does not teach or suggest a device or method wherein the pump and signal radiation generate said converted radiation by non-linear interaction within each of said optical resonators.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/518,855 Page 3

Art Unit: 2874

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rhonda S. Peace whose telephone number is (571) 272-8580. The examiner can normally be reached on M-F (8-5).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rodney Bovernick can be reached on (571) 272- 2344. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Rhonda S. Peace

Art Unit 2874

MICHELLE CONNELLY-CUSHWA

PRIMARY EXAMINER